Subject index of volume 336

acetylcholine, histamine, age-related changes, serotonin; coronary arteries, dog, 359
acetylcholine, muscarinic receptors, adenosine receptors; hemidiaphragma, mice, 11
acetylcholine release, muscarinic receptors, N-allyl-normetazocine; brain, rats, guinea-pig, 425
ACTH, somatostatin, neurotensin, substance P, vasopressin, neuropeptides; locus coeruleus, rats, 434
action characterization, anemonia sulcata toxin II; cultured myotubes, rats, 232
adenohypophysis, calcium, fura-2, vasopressin; anterior pituitary cells, rats, 321
adenosine A2-receptors; cultured coronary endothelial cells, 94
adenosine analogues, adenosine receptors, cAMP; ventricular myocytes, rats, 342
adenosine receptors, acetylcholine, muscarinic receptors; hemidiaphragma, mice, 11
adenosine receptors, barbiturates, GABA-receptor complexes; brain membranes, rats, 211
adenosine receptors, cAMP, adenosine analogues; ventricular myocytes, rats, 342
adenosine receptors, 8-cyclopentyl-1,3-dipropyl-xanthine, adenylate cyclase; cell membranes, 204
adenylate cyclase, adenosine receptors, 8-cyclopentyl-1,3-dipropyl-xanthine; cell membranes, 204
adrenergic nerve endings, noradrenaline transport; vas deferens, rats, 602
adrenoceptors, isoprenaline, noradrenaline, sympathetic neurones; pulmonary artery, rabbit, 176
adrenoceptors, 5-hydroxytryptamine, hypothermia, imipramine; mice, 303
adrenoceptor types, noradrenaline; caecum, guinea-pig, 37
ageing, beta-adrenoceptors; aorta, rats, 60
age-related changes, serotonin, acetylcholine, histamine; coronary arteries, dog, 359
agonist-receptor interaction, UK-14,304, yohimbine, alpha 2-adrenoceptors; human platelets, 48
alpha 1-adrenoceptor blocker, YM-12617; aorta, rabbit, ileum, guinea-pig, 295
alpha 1-adrenoceptors, cyclooxygenase inhibitors, lithium; atria, guinea-pig, 403
alpha 1-adrenoceptors, phenoxybenzamine, cirazoline, calcium entry blockade; hindquarters, rats, 409
alpha 2-adrenoceptors, agonist-receptor interaction, UK-14,304, yohimbine; human platelets, 48
alpha 2-adrenoceptors, noradrenaline, guanine nucleotide binding protein, pertussis toxin; atria, mice, 280
alpha 2-adrenoceptors, opioid receptors, abstinence syndrom, morphine dependence; brain, rats, 530
alpha 2-receptor heterogeneity, SK&F 104078, alpha-adrenoceptor types; vessels, dog, rabbit, human platelets, 415
alpha 2-receptors, serotonin autoreceptors, cAMP, serotonin release; brain cortex, rats, 251
alpha-adrenoceptor agonists, calcium flux, B-HT 920, endothelium; aorta, rats, 287
alpha-adrenoceptor agonists, warming; aorta, rats, 641
alpha-adrenoceptor antagonists, L-657,743, yohimbine; several models, 169
alpha-adrenoceptors, coronary vasoconstriction, noradrenaline; carotid occlusion, dog, 161
alpha-adrenoceptor types, alpha 2-receptor heterogeneity, SK&F 104078; vessels, dog, rabbit, human platelets, 415
alpha-autoreceptors, noradrenaline; brain cortex, rabbit, 155
alpha-beta-adrenoceptor sensitivity, sympathetic innervation, inotropy, chronotropy; reserpine treatment, rats, 646
alpha-fluoromethylhistidine, pentagastrin, histamine; gastric mucosa, mice, 387
amiflamine, 5-hydroxytryptamine, monoamine oxidase inhibitors; hypothalamic synaptosomes, rats, 591
amiloride analogues, Na-Ca-exchange carriere, phosphodiesterase; left atria, guinea-pig, 661
aminoglycoside antibiotics, calcium channel blocker, omega-conotoxin GVIA; brain cortex, guinea-pig, 583
aminotetralins, dopamine autoreceptors; striatum, rats, 494
aminotetralins, N-0434, N-0437, dopamine receptors; striatum, rats, 487
amphetamine, cAMP formation, dopamine receptors, dopamine; corpus striatum, rats, 133
analgesia, magnetic fields, calcium channels; morphine, mice, 308
anemonia sulcata toxin II, action characterization; cultured myotubes, rats, 232
anisomycin, febrile response, prostaglandins, arachidonic acid; intracerebroventricular injection, cat, 332
antiarrhythmic agents, sodium channels; papillary muscles, guinea-pig, 224
antidepressants, tianeptine, serotonin uptake, neurotransmitter receptors; brain, rats, 478
antihypertensive drugs, 5-hydroxytryptamine receptors, arylpiperazines, urapidil; brain, rats, 597
antinociception, morphine, zopiclone, benzodiazepines; tail-flick test, rats, 526
anxiolytics, 5-hydroxytryptamine receptors, buspirone, serotoninergic action; hippocampus, rats, 5
apomorphine, conditioning, dopamine receptors; behavioural effects, rats, 262
apomorphine, gastric acid secretion, cimetidine, ranitidine, gastrin; dog, 20
apomorphine, SCH 23 390, dopamine receptor antagonists, gastrin, domperidone; dog, 16
arachidonic acid, anisomycin, febrile response, prostaglandins; intracerebroventricular injection, cat, 332
arousal action, YM-14673, thyrotropin-releasing hormone; head trauma, mice, 561
arylpiperazines, urapidil, antihypertensive drugs, 5-hydroxytryptamine receptors; brain, rats, 597
ATP, vasoconstriction, neuroeffector transmitter, noradrenaline; mesenteric artery, rabbit, 267
ATP, vasoconstriction, UTP-receptor; ear artery rabbit, 556
abstinence syndrom, morphine dependence, alpha 2-adrenoceptors, opioid receptors; brain, rats, 530

B receptors, vascular permeability, inflammation, kinins; rats, 99
baclofen, micturition reflexes, GABA B receptors; pelvic ganglia, rats, 197
B-HT 920, endothelium, alpha-adrenoceptor agonists, calcium flux; aorta, rats, 287
B2-type receptors, kinins, inflammation, pain; human blister base, 652
barbiturates, GABA-receptor complexes, adenosine receptors; brain membranes, rats, 211
behavioural effects, nerve transection, substance P, neurokinin A, tachykinin receptors; intrathecal kinins, rats, 656
benzodiazepines, antinociception, morphine, zopiclone; tail-flick test, rats, 526
beta-adrenergic receptor system, lungs, catecholamines, haemophilus influenzae; intraperitoneal injection, guinea-pig, 274
beta-adrenoceptor blockade, venodilator, nicorandil; haemodynamics, pig, 352
beta-adrenoceptors, ageing; aorta, rats, 60
beta-adrenoceptors, catecholamines, 6-hydroxydopamine; chick atria, 64
beta-adrenoceptor subtypes, subtype selectivity; cardial microsomes, rats, 519

buspirone, serotoninergic action, anxiolytics, 5-hydroxytryptamine receptors; hippocampus, rats, 5

calcitonin gene-related peptide, capsaicin, substance P; skeletal muscle, rabbit, 87
calcitonin gene-related peptide, vasodilatation, cAMP; porcine coronary artery, 438
calcium, cGMP, endothelium derived relaxant factor, platelet aggregation; bovine endothelium cells, 566
calcium, fura-2, vasopressin, adenohypophysis; anterior pituitary cells, rats, 321
calcium antagonist, renin, nitrendipine; renal function, dog, 572
calcium channel, GABA, nifedipine; striatal neurones, mice, 190
calcium channel, neurotransmitter system, conotoxin GVIA; central nervous system, rabbit, 467
calcium channel blocker, omega-conotoxin GVIA, aminoglycoside antibiotics; brain cortex, guinea-pig, 583
calcium channels, analgesia, magnetic fields; morphine, mice, 308
calcium entry blockade, alpha 1-adrenoceptors, phenoxybenzamine, cirazoline; hindquarters, rats, 409
calcium entry blockers; vascular smooth muscle, rats, 670
calcium flux, B-HT 920, endothelium, alpha-adrenoceptor agonists; aorta, rats, 287
calcium transport, dihydroxyvitamine D3, dexamethasone; ileum, rats, 117
calmodulin, neuromuscular junction, transmitter release, trifluoperazine; nerve-muscle preparation, frog, 257
cAMP, adenosine analogues, adenosine receptors; ventricular myocytes, rats, 342
cAMP, calcitonin gene-related peptide, vasodilatation; porcine coronary artery, 438
cAMP, forskolin, nicotinic acetylcholine receptors, permeability; myotubes, chick, 381
cAMP, inositol triphosphate, gastric secretagogues, protein kinase C; gastric mucosa, rats, 471
cAMP, serotonin release, alpha 2-receptors, serotonin autoreceptors; brain cortex, rats, 251
cAMP formation, dopamine receptors, dopamine, amphetamine; corpus striatum, rats, 133
capsaicin, (met,pro)-enkephalinamide, opioid receptors, sensory nerves; bronchus, guinea-pig, rabbit ear, 316
capsaicin, neuropeptides, tachykinins; cutaneous lesions, rats, 538
capsaicin, substance P, calcitonin gene-related peptide; skeletal muscle, rabbit, 87
capsaicin, urinary bladder functions, substance P, species related variations; mammalian species, 546
carrier-mediated outward transport, noradrenaline, model analysis; vas deferens, rats, 631
catecholamines, deamination, O-methylation; isolated heart, rats, 139
catecholamines, haemophilus influenzae, beta-adrenergic receptor system, lungs; intraperitoneal injection, guinea-pig, 274
catecholamines, 6-hydroxydopamine, beta-adrenoceptors; chick atria, 64
ceruloplasmin, iron absorption; small intestine, rats, 578
cGMP, endothelium derived relaxant factor, platelet aggregation, calcium; bovine endothelium cells, 566
chlorphenamine, transmembrane electrical activity, histamine, cimetidine; AV-node, SA-node, guinea-pig, rabbit, 218
choline, GABA; hippocampus synaptosomes, rats, 327
chronotropic effect, deuterium substitution, sympathomimetic amines; atria, rats, 391
chronotropic effect, noradrenaline release, DSP4; atria, rats, 396
chronotropy, alpha-beta-adrenoceptor sensitivity, sympathetic innervation, inotropy; reserpine treatment, rats, 646
cimetidine, chlorphenamine, transmembrane electrical activity, histamine; AV-node, SA-node, guinea-pig, rabbit, 218
cimetidine, cytochrome P-450, etintidine; liver microsomes, rats, 453
cimetidine, gastric acid, H2-receptors, mifentidine; kinetic analysis, dog, 349
cimetidine, ranitidine, gastrin, apomorphine, gastric acid secretion; dog, 20
cirazoline, calcium entry blockade, alpha 1-adrenoceptors, phenoxybenzamine; hindquarters, rats, 409
circadian rhythm, imipramine, platelets, rabbit, 464
clonidine, noradrenaline; hypertensive rats, 77
conditioning, dopamine receptors, apomorphine; behavioural effects, rats, 262
conotoxin GVIA, calcium channel, neurotransmitter system; central nervous system, rabbit, 467
coronary vasoconstriction, noradrenaline, alpha-adrenoceptors; carotid occlusion, dog, 161
cyclooxygenase inhibitors, lithium, alpha 1-adrenoceptors; atria, guinea-pig, 403
8-cyclopentyl-1,3-dipropyl-xanthine, adenylate cyclase, adenosine receptors; cell membranes, 204
cytochrome P-450, etintidine, cimetidine; liver microsomes, rats, 453

deamination, O-methylation, catecholamines; isolated heart, rats, 139
deuterium substitution, sympathomimetic amines, chronotropic effect; atria, rats, 391
dexamethasone, calcium transport, dihydroxyvitamine D3; ileum, rats, 117
dihydroxyvitamine D3, dexamethasone, calcium transport; ileum, rats, 117
domperidone, apomorphine, SCH 23 390, dopamine receptor antagonists, gastrin; dog, 16
dopamine, amphetamine, cAMP formation, dopamine receptors; corpus striatum, rats, 133
dopamine, tetrodotoxin; brain dialysis, rats, 502
dopamine autoreceptors, aminotetralins; striatum, rats, 494
dopamine receptor antagonists, gastrin, domperidone, apomorphine, SCH 23 390; dog, 16
dopamine receptors, aminotetralins, N-0434, N-0437; striatum, rats, 487
dopamine receptors, apomorphine, conditioning; behavioural effects, rats, 262
dopamine receptors, dopamine, amphetamine, cAMP formation; corpus striatum, rats, 133
DSP4, chronotropic effect, noradrenaline release; atria, rats, 396

endothelium, alpha-adrenoceptor agonists, calcium flux, B-HT 920; aorta, rats, 287
endothelium, 5-hydroxytryptamine receptor types, tryptamines; jugular vein, rabbit, 365
endothelium derived relaxant factor, platelet aggregation, calcium, cGMP; bovine endothelium cells, 566
enterochromaffin cells, 5-hydroxytryptamine, muscarine receptors, nicotine receptors; ileum, guinea-pig, 127
etintidine, cimetidine, cytochrome P-450; liver microsomes, rats, 453
extraneuronal uptake, membrane potential, isoprenaline, noradrenaline; pulmonary artery, rabbit, 33

febrile response, prostaglandins, arachidonic acid, anisomycin; intracerebroventricular injection, cat, 332
formate, tetrahydrofolate, vanadate; breath analysis, mice, 111
forskolin, nicotinic acetylcholine receptors, permeability, cAMP; myotubes, chick, 381
fura-2, vasopressin, adenohypophysis, calcium; anterior pituitary cells, rats, 321

GABA, choline; hippocampus synaptosomes, rats, 327
GABA, nifedipine, calcium channel; striatal neurones, mice, 190
GABA B receptors, baclofen, micturition reflexes; pelvic ganglia, rats, 197
GABA-receptor complexes, adenosine receptors, barbiturates; brain membranes, rats, 211
gastric acid, H2-receptors, mifentidine, cimetidine; kinetic analysis, dog, 349
gastric acid secretion, cimetidine, ranitidine, gastrin, apomorphine; dog, 20

gastric secretagogues, protein kinase C, cAMP, inositol triphosphate; gastric mucosa, rats, 471
gastrin, apomorphine, gastric acid secretion, cimetidine, ranitidine; dog, 20
gastrin, domperidone, apomorphine, SCH 23 390, dopamine receptor antagonists; dog, 16
glucose transport, lipolytic agents, prostaglandin E2; adipose cells, rats, 105
guanine nucleotide binding protein, pertussis toxin, alpha 2-adrenoceptors, noradrenaline; atria, mice, 280

H2-receptors, mifentidine, cimetidine, gastric acid; kinetic analysis, dog, 349
haemophilus influenzae, beta-adrenergic receptor system, lungs, catecholamines; intraperitoneal injection, guinea-pig, 274
histamine, age-related changes, serotonin, acetylcholine; coronary arteries, dog, 359
histamine, alpha-fluoromethylhistidine, pentagastrin; gastric mucosa, mice, 387
histamine, cimetidine, chlorphenamine, transmembrane electrical activity; AV-node, SA-node, guinea-pig, rabbit, 218
5-hydroxytryptamine, hypothermia, imipramine, adrenoceptors; mice, 303
5-hydroxytryptamine, monoamine oxidase inhibitors, amiflamine; hypothalamic synaptosomes, rats, 591
5-hydroxytryptamine, muscarine receptors, nicotine receptors, enterochromaffin cells; ileum, guinea-pig, 127
5-hydroxytryptamine B2 receptors, noradrenaline release; vena cava, rats, 245
5-hydroxytryptamine receptors, arylpiperazines, urapidil, antihypertensive drugs; brain, rats, 597
5-hydroxytryptamine receptors, buspirone, serotoninergic action, anxiolytics; hippocampus, rats, 5
5-hydroxytryptamine receptor types, tryptamines, endothelium; jugular vein, rabbit, 365
6-hydroxydopamine, beta-adrenoceptors, catecholamines; chick atria, 64
hypothermia, imipramine, adrenoceptors, 5-hydroxytryptamine; mice, 303

imipramine, adrenoceptors, 5-hydroxytryptamine, hypothermia; mice, 303
imipramine, circadian rhythm, platelets, rabbit, 464
imipramine, 5-methoxytryptoline, serotonin transporter; platelets, rabbit, 1
inflammation, kinins, B receptors, vascular permeability; rats, 99
inflammation, kinins, vascular permeability; jugular vein, rabbit, 430
inflammation, pain, B2-type receptors, kinins; human blister base, 652
inositol triphosphate, gastric secretagogues, protein kinase C, cAMP; gastric mucosa, rats, 471
inotropy, chronotropy, alpha-beta-adrenoceptor sensitivity, sympathetic innervation; reserpine treatment, rats, 646
iron absorption, ceruloplasmin; small intestine, rats, 578
isoprenaline, noradrenaline, extraneuronal uptake, membrane potential; pulmonary artery, rabbit, 33
isoprenaline, noradrenaline, sympathicum neurones, adrenoceptors; pulmonary artery, rabbit, 176

kinins, B receptors, vascular permeability, inflammation; rats, 99
kinins, inflammation, pain, B2-type receptors; human blister base, 652
kinins, vascular permeability, inflammation; jugular vein, rabbit, 430

L-657,743, yohimbine, alpha-adrenoceptor antagonists; several models, 169
leukotrienes, thromboxane A2, vasoconstriction, PAF-acether; heart, guinea-pig, 459
lipolytic agents, prostaglandin E2, glucose transport; adipose cells, rats, 105
lithium, alpha 1-adrenoceptors, cyclooxygenase inhibitors; atria, guinea-pig, 403
lungs, catecholamines, haemophilus influenzae, beta-adrenergic receptor system; intraperitoneal injection, guinea-pig, 274

magnetic fields, calcium channels, analgesia; morphine, mice, 308
membrane potential, isoprenaline, noradrenaline, extraneuronal uptake; pulmonary artery, rabbit, 33
(met,pro)-enkephalinamide, opioid receptors, sensory nerves, capsaicin; bronchus, guinea-pig, rabbit ear, 316
methiothepin, potassium, noradrenaline release; pineal gland, rats, 374
5-methoxytryptoline, serotonin transporter, imipramine; platelets, rabbit, 1
micturition reflexes, GABA B receptors, baclofen; pelvic ganglia, rats, 197
mifentidine, cimetidine, gastric acid, H2-receptors; kinetic analysis, dog, 349
model analysis, carrier-mediated outward transport, noradrenaline; vas deferens, rats, 631
monoamine oxidase, noradrenaline, veratrine; vas deferens, rats, 70
monoamine oxidase, vesicular uptake, -noradrenaline transport; vas deferens, rats, 611
monoamine oxidase inhibitors, amiflamine, 5-hydroxytryptamine; hypothalamic synaptosomes, rats, 591
morphine, zopiclone, benzodiazepines, antinociception; tail-flick test, rats, 526
morphine dependence, alpha 2-adrenoceptors, opioid receptors, abstinence syndrom; brain, rats, 530
muscarinic receptors, N-allyl-normetazocine, acetylcholine release; brain, rats, guinea-pig, 425
muscarine receptors, nicotine receptors, enterochromaffin cells, 5-hydroxytryptamine; ileum, guinea-pig, 127
muscarinic receptors, adenosine receptors, acetylcholine; hemidiaphragma, mice, 11
myocardial ischemia, noradrenaline; heart, rats, 508

N-0434, N-0437, dopamine receptors, aminotetralins; striatum, rats, 487
N-0437, dopamine receptors, aminotetralins, N-0434; striatum, rats, 487
N-allyl-normetazocine, acetylcholine release, muscarinic receptors; brain, rats, guinea-pig, 425
N-propargyl-2-phenylethylamine, 2-phenylethylamine; pharmacokinetics, rats, 25
Na-Ca-exchange carriere, phosphodiesterase, amiloride analogues; left atria, guinea-pig, 661
nerve growth factor, substance P; saphenous nerve neuroma, rats, 587
nerve transection, substance P, neurokinin A, tachykinin receptors, behavioural effects; intrathecal kinins, rats, 656
neuroeffector transmitter, noradrenaline, ATP, vasoconstriction; mesenteric artery, rabbit, 267
neurokinin A, tachykinin receptors, behavioural effects, nerve transection, substance P; intrathecal kinins, rats, 656
neuromuscular junction, transmitter release, trifluoperazine, calmodulin; nerve-muscle preparation, frog, 257
neuropeptide A, pharmacokinetics, substance P, tachykinins; bronchoconstriction, guinea-pig, 183
neuropeptides, ACTH, somatostatin, neurotensin, substance P, vasopressin; locus coeruleus, rats, 434
neuropeptides, tachykinins, capsaicin; cutaneous lesions, rats, 538
neurotensin, substance P, vasopressin, neuropeptides, ACTH, somatostatin; locus coeruleus, rats, 434
neurotransmitter receptors, antidepressants, tianeptine, serotonin uptake; brain, rats, 478
neurotransmitter system, conotoxin GVIA, calcium channel; central nervous system, rabbit, 467
nicorandil, beta-adrenoceptor blockade, venodilator; haemodynamics, pig, 352
nicotine receptors, enterochromaffin cells, 5-hydroxytryptamine, muscarine receptors; ileum, guinea-pig, 127
nicotinic acetylcholine receptors, permeability, cAMP, forskolin; myotubes, chick, 381
nifedipine, calcium channel, GABA; striatal neurones, mice, 190

nitrendipine, calcium antagonist, renin; renal function, dog, 572
noradrenaline, ATP, vasoconstriction, neuroeffector transmitter; mesenteric artery, rabbit, 267
noradrenaline, adrenoceptor types; caecum, guinea-pig, 37
noradrenaline, alpha-adrenoceptors, coronary vasoconstriction; carotid occlusion, dog, 161
noradrenaline, alpha-autoreceptors; brain cortex, rabbit, 155
noradrenaline, clonidine; hypertensive rats, 77
noradrenaline, extraneuronal uptake, membrane potential, isoprenaline; pulmonary artery, rabbit, 33
noradrenaline, guanine nucleotide binding protein, pertussis toxin, alpha 2-adrenoceptors; atria, mice, 280
noradrenaline, model analysis, carrier-mediated outward transport; vas deferens, rats, 631
noradrenaline, myocardial ischemia; heart, rats, 508
noradrenaline, O-methylation; endometrium, rabbit, 148
noradrenaline, sympathetic neurones, adrenoceptors, isoprenaline; pulmonary artery, rabbit, 176
noradrenaline, veratrine, monoamine oxidase; vas deferens, rats, 70
noradrenaline release, DSP4, chronotropic effect; atria, rats, 396
noradrenaline release, 5-hydroxytryptamine B2 receptors; vena cava, rats, 245
noradrenaline release, methiothepin, potassium; pineal gland, rats, 374
noradrenaline transport, adrenergic nerve endings; vas deferens, rats, 602
noradrenaline transport, monoamine oxidase, vesicular uptake; vas deferens, rats, 611
noradrenaline transport, veratridine; vas deferens, rats, 621

O-methylation, catecholamines, deamination; isolated heart, rats, 139
O-methylation, noradrenaline; endometrium, rabbit, 148
omega-conotoxin GVIA, aminoglycoside antibiotics, calcium channel blocker; brain cortex, guinea-pig, 583
opioid receptors, abstinence syndrom, morphine dependence, alpha 2-adrenoceptors; brain, rats, 530
opioid receptors, sensory nerves, capsaicin, (met,pro)-enkephalinamide; bronchus, guinea-pig, rabbit ear, 316
opioid receptors; ileum, guinea-pig, 419
opioid receptor types, substantia gelatinosa; spinal cord, rats, 240

PAF-acether, leukotrienes, thromboxane A2, vasoconstriction; heart, guinea-pig, 459
pain, B2-type receptors, kinins, inflammation; human blister base, 652
pentagastrin, histamine, alpha-fluoromethylhistidine; gastric mucosa, mice, 387
peristaltic reflex, serotonin release; ileum, guinea-pig, 483
permeability, cAMP, forskolin, nicotinic acetylcholine receptors; myotubes, chick, 381
pertussis toxin, alpha 2-adrenoceptors, noradrenaline, guanine nucleotide binding protein; atria, mice, 280
pharmacokinetics, substance P, tachykinins, neuropeptide A; bronchoconstriction, guinea-pig, 183
phenoxybenzamine, cirazoline, calcium entry blockade, alpha 1-adrenoceptors; hindquarters, rats, 409
2-phenylethylamine, N-propargyl-2-phenylethylamine; pharmacokinetics, rats, 25
phosphodiesterase, amiloride analogues, Na-Ca-exchange carriere; left atria, guinea-pig, 661
platelet aggregation, calcium, cGMP, endothelium derived relaxant factor; bovine endothelium cells, 566
potassium, noradrenaline release, methiothepin; pineal gland, rats, 374
procaine, quercetin, prostacyclin; ileum, guinea-pig, 445
prostacyclin, procaine, quercetin; ileum, guinea-pig, 445
prostaglandin E2, glucose transport, lipolytic agents; adipose cells, rats, 105
prostaglandins, arachidonic acid, anisomycin, febrile response; intracerebroventricular injection, cat, 332
protein kinase C, cAMP, inositol triphosphate, gastric secretagogues; gastric mucosa, rats, 471

quercetin, prostacyclin, procaine; ileum, guinea-pig, 445

ranitidine, gastrin, apomorphine, gastric acid secretion, cimetidine; dog, 20
renin, nitrendipine, calcium antagonist; renal function, dog, 572

SCH 23 390, dopamine receptor antagonists, gastrin, domperidone, apomorphine; dog, 16
sensory nerves, capsaicin, (met,pro)-enkephalinamide, opioid receptors; bronchus, guinea-pig, rabbit ear, 316
serotonin, acetylcholine, histamine, age-related changes; coronary arteries, dog, 359
serotonin autoreceptors, cAMP, serotonin release, alpha 2-receptors; brain cortex, rats, 251
serotoninergic action, anxiolytics, 5-hydroxytryptamine receptors, buspirone; hippocampus, rats, 5
serotonin release, alpha 2-receptors, serotonin autoreceptors, cAMP; brain cortex, rats, 251
serotonin release, peristaltic reflex; ileum, guinea-pig, 483
serotonin transporter, imipramine, 5-methoxytryptoline; platelets, rabbit, 1
serotonin uptake, neurotransmitter receptors, antidepressants, tianeptine; brain, rats, 478
SK&F 104078, alpha-adrenoceptor types, alpha 2-receptor heterogeneity; vessels, dog, rabbit, human platelets, 415
sodium channels, antiarrhythmic agents; papillary muscles, guinea-pig, 224
somatostatin, neurotensin, substance P, vasopressin, neuropeptides, ACTH; locus coeruleus, rats, 434
species related variations, capsaicin, urinary bladder functions, substance P; mammalian species, 546
substance P, calcitonin gene-related peptide, capsaicin; skeletal muscle, rabbit, 87
substance P, nerve growth factor; saphenous nerve neuroma, rats, 587
substance P, neurokinin A, tachykinin receptors, behavioural effects, nerve transection; intrathecal kinins, rats, 656
substance P, species related variations, capsaicin, urinary bladder functions; mammalian species, 546
substance P, tachykinins, neuropeptide A, pharmacokinetics; bronchoconstriction, guinea-pig, 183
substance P, vasopressin, neuropeptides, ACTH, somatostatin, neurotensin; locus coeruleus, rats, 434
substantia gelatinosa, opioid receptor types; spinal cord, rats, 240
subtype selectivity, beta-adrenoceptor subtypes; cardial microsomes, rats, 519
sympathetic innervation, inotropy, chronotropy, alpha-beta-adrenoceptor sensitivity; reserpine treatment, rats, 646
sympathetic neurones, adrenoceptors, isoprenaline, noradrenaline; pulmonary artery, rabbit, 176
sympathomimetic amines, chronotropic effect, deuterium substitution; atria, rats, 391

tachykinin receptors, behavioural effects, nerve transection, substance P, neurokinin A; intrathecal kinins, rats, 656
tachykinins, capsaicin, neuropeptides; cutaneous lesions, rats, 538
tachykinins, neuropeptide A, pharmacokinetics, substance P; bronchoconstriction, guinea-pig, 183
tetrahydrofolate, vanadate, formate; breath analysis, mice, 111
tetrodotoxin, dopamine; brain dialysis, rats, 502
thromboxane A2, vasoconstriction, PAF-acether, leukotrienes; heart, guinea-pig, 459
thyrotropin-releasing hormone, arousal action, YM-14673; head trauma, mice, 561

tianeptine, serotonin uptake, neurotransmitter receptors, antidepressants; brain, rats, 478
transmembrane electrical activity, histamine, cimetidine, chlorphenamine; AV-node, SA-node, guinea-pig, rabbit, 218
transmitter release, trifluoperazine, calmodulin, neuromuscular junction; nerve-muscle preparation, frog, 257
trifluoperazine, calmodulin, neuromuscular junction, transmitter release; nerve-muscle preparation, frog, 257
tryptamines, endothelium, 5-hydroxytryptamine receptor types; jugular vein, rabbit, 365

UK-14,304, yohimbine, alpha 2-adrenoceptors, agonist-receptor interaction; human platelets, 48
UTP-receptor, ATP, vasoconstriction; ear artery rabbit, 556
urapidil, antihypertensive drugs, 5-hydroxytryptamine receptors, arylpiperazines; brain, rats, 597
urinary bladder functions, substance P, species related variations, capsaicin; mammalian species, 546

vanadate, formate, tetrahydrofolate; breath analysis, mice, 111
vascular permeability, inflammation, kinins, B receptors; rats, 99
vascular permeability, inflammation, kinins; jugular vein, rabbit, 430
vasoconstriction, neuroeffector transmitter, noradrenaline, ATP; mesenteric artery, rabbit, 267
vasoconstriction, PAF-acether, leukotrienes, thromboxane A2; heart, guinea-pig, 459
vasoconstriction, UTP-receptor, ATP; ear artery rabbit, 556
vasodilatation, cAMP, calcitonin gene-related peptide; porcine coronary artery, 438
vasopressin, adenohypophysis, calcium, fura-2; anterior pituitary cells, rats, 321
vasopressin, neuropeptides, ACTH, somatostatin, neurotensin, substance P; locus coeruleus, rats, 434
venodilator, nicorandil, beta-adrenoceptor blockade; haemodynamics, pig, 352
veratridine, noradrenaline transport; vas deferens, rats, 621
veratrine, monoamine oxidase, noradrenaline; vas deferens, rats, 70
vesicular uptake, noradrenaline transport, monoamine oxidase; vas deferens, rats, 611

warming, alpha-adrenoceptor agonists; aorta, rats, 641

YM-12617, alpha 1-adrenoceptor blocker; aorta, rabbit, ileum, guinea-pig, 295
YM-14673, thyrotropin-releasing hormone, arousal action; head trauma, mice, 561
yohimbine, alpha 2-adrenoceptors, agonist-receptor interaction, UK-14,304; human platelets, 48
yohimbine, alpha-adrenoceptor antagonists, L-657,743; several models, 169

zopiclone, benzodiazepines, antinociception, morphine; tail-flick test, rats, 526

CONTENTS

OL

36

87

MI

Naunyn-Schmiedeberg's

Archives of Pharmacology

Volume 336 1987

Editors
O. E. Brodde, Essen
G. M. Drew, Ware/UK
J. R. Fozard, Basel
M. Göthert, Bonn
K.-H. Graefe, Würzburg
P. Heistracher, Wien
S. R. Nahorski, Leicester
L. Oreland, Uppsala
B. A. Peskar, Bochum
A. Philippu, Innsbruck
U. Schwabe, Heidelberg

Managing Editor
K. Starke, Freiburg i. Br.

Advisory Editors
L. Ahtee, Helsinki
N. E. Andén, Uppsala
J. Bockaert, Montpellier
A. F. Brading, Oxford
A. Chéramy, Paris
H. Coper, Berlin
U. Förstermann, Hannover
M. Frimmer, Giessen
H. Glossmann, Innsbruck
E. Habermann, Giessen
W. Haefely, Basel
G. Häusler, Darmstadt
G. Hertting, Freiburg i. Br.
A. Herz, München
P. Holzer, Graz
D. Hoyer, Basel
P. Illes, Freiburg i. Br.
J. L. Imbs, Strasbourg
I. Jurna, Homburg/Saar
G. F. Kahl, Göttingen
A. J. Kaumann, Welwyn
H. Kewitz, Berlin
H. Kilbinger, Mainz
W. Kobinger, Wien
H. Kosterlitz, Aberdeen
W. Kukovetz, Graz
K. Kuschinsky, Marburg
S. Z. Langer, Paris
M. Laubie, Suresnes
K. Löffelholz, Mainz
E. Markwardt, Erfurt
D. K. Meyer, Freiburg i. Br.
E. Muscholl, Mainz
H. Naywrath, Mainz
K. J. Netter, Marburg/Lahn
D. Neubert, Berlin
H. Osswald, Freiburg i. Br.
U. Otten, Basel
D. Palm, Frankfurt/Main
K.-H. Rahn, Münster
M. Raiteri, Genova
H. P. Rang, London
H. Reuter, Bern
W. Rummel, Homburg/Saar
H. Scholz, Hamburg
K. Schrör, Düsseldorf
H. J. Schümann, Essen
G. Schultz, Berlin
R. Schulz, München
D. F. Sharman, Cambridge
A. Stier, Göttingen
U. Trendelenburg, Würzburg
P. Waldmeier, Basel
A. Wellstein, Bethesda

Springer International

Naunyn-Schmiedberg's Archives of Pharmacology

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the (publisher, society); and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA

Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US$ 0.20 per page, or a minimum of US$ 1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0028-1298, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Springer-Verlag Berlin Heidelberg New York

Printed in Germany by Wiesbadener Graphische Betriebe GmbH, D-6200 Wiesbaden

© Springer-Verlag Heidelberg 1987

Contents of volume 336

No. 1 issued on July 31, 1987

A. Segonzac, H. Schoemaker, C. R. Lee, S. Z. Langer: [^{3}H]-5-Methoxytryptoline is not actively accumulated by rabbit platelets **1**

R. Andrade, R. A. Nicoll: Novel anxiolytics discriminate between postsynaptic serotonin receptors mediating different physiological responses on single neurons of the rat hippocampus **5**

G. T. Somogyi, E. S. Vizi, I. A. Chaudhry, H. Nagashima, D. Duncalf, F. F. Foldes, P. L. Goldiner: Modulation of stimulation-evoked release of newly formed acetylcholine from mouse hemidiaphragm preparation **11**

M. Goiny, K. Uvnäs-Moberg: Effects of dopamine receptor antagonists on gastrin and vomiting responses to apomorphine **16**

M. Goiny, K. Brodin, C.-E. Elwin, K. Uvnäs-Moberg: A long lasting gastrin response to apomorphine revealed by inhibitors of gastric acid secretion **20**

T. S. Rao, G. B. Baker, R. T. Coutts: Pharmacokinetic and neurochemical studies on N-propargyl-2-phenylethylamine, a prodrug of 2-phenylethylamine **25**

U. Trendelenburg: The membrane potential of vascular smooth muscle appears to modulate uptake$_2$ of ^{3}H-isoprenaline **33**

W. M. Reilly, C. H. V. Hoyle, G. Burnstock: Pre- and postjunctional adrenoceptor tyes in the circular muscle of the guinea-pig caecum **37**

J. Schloos, A. Wellstein, D. Palm: Agonist binding at alpha$_2$-adrenoceptors of human platelets using ^{3}H-UK-14,304: regulation by Gpp(NH)p and cations **48**

R. Sawyer, J. R. Docherty: Reduction with age in the relaxation to β-adrenoceptor agonists and other vasodilators in rat aorta **60**

K. Williams, P. G. Strange, T. Bennett: Alterations in β-adrenoceptor number and catecholamine content of chick atria after reversible sympathetic denervation with 6-hydroxydopamine **64**

D. Hovevey-Sion, J. P. M. Finberg: Chronic inhibition of monoamine oxidase reduces noradrenaline release in rat vas deferens and anococcygeus muscle **70**

J. Atkinson, N. Boillat, T. Dennis, S. Z. Langer, B. Scatton: Effect of prolonged clonidine treatment and its withdrawal on noradrenaline turnover in the cerebral cortex and medulla oblongata of the spontaneously hypertensive rat **77**

A. K. Saxena, A. K. Saksena, S. Vrat, K. K. Tangri: Presence of opioid receptors in mesencephalic nucleus dorsalis raphe concerned in cardiovascular regulation in cats **81**

A. Öhlén, L. Lindbom, W. Staines, T. Hökfelt, A. C. Cuello, J. A. Fischer, P. Hedqvist: Substance P and calcitonin gene-related peptide: immunohistochemical localisation and microvascular effects in rabbit skeletal muscle **87**

C. Des Rosiers, S. Nees: Functional evidence for the presence of adenosine A_2-receptors in cultured coronary endothelial cells **94**

E. T. Whalley: Receptors mediating the increase in vascular permeability to kinins: comparative studies in rat, guinea-pig and rabbit **99**

H. J. Steinfelder, S. Schramm, H.-G. Joost: Prostaglandin E_2 differentiates between two forms of glucose transport inhibition by lipolytic agents **105**

M. Brüch, A. Dietrich, K. J. Netter: A qualitative study on vanadate effects in the tetrahydrofolate-dependent formate transfer in vitro and in vivo in mice **111**

U. Karbach, W. Rummel: Cellular and paracellular calcium transport in the rat ileum and the influence of 1α,25-dihydroxyvitamin D_3 and dexamethasone **117**

Erratum

M. Freissmuth, V. Hausleithner, E. Tuisl, C. Nanoff, W. Schütz: Glomeruli and microvessels of the rabbit kidney contain both A_1- and A_2-adenosine receptors **125**

No. 2 issued on September 4, 1987

H. Schwörer, K. Racké, H. Kilbinger: Cholinergic modulation of the release of 5-hydroxytryptamine from the guinea pig ileum **127**

A. J. Azzaro, J. Liccione, J. Lucci: Opposing actions of D-1 and D-2 dopamine receptor-mediated alterations of adenosine-3',5'-cyclic monophosphate (cyclic AMP) formation during the amphetamine-induced release of endogenous dopamine in vitro **133**

M. Grohmann: The activity of the neuronal and extraneuronal catecholamine-metabolizing enzymes of the perfused rat heart **139**

J. A. Kennedy, I. S. de la Lande: Characteristics of the cocaine-sensitive accumulation and O-methylation of ^{3}H-(−)-noradrenaline by rabbit endometrium **148**

N. Limberger, T. Hölting, K. Starke: Protection of presynaptic α-adrenoceptors against irreversible blockade by phenoxybenzamine: preservation of the modulatory effects of exogenous noradrenaline and yohimbine **155**

O. L. Woodman: The role of α_1- and α_2-adrenoceptors in the coronary vasoconstrictor responses to neuronally released and exogenous noradrenaline in the dog **161**

D. J. Pettibone, B. V. Clineschmidt, V. J. Lotti, J. J. Baldwin, J. R. Huff, W. C. Randall, J. Vacca, S. D. Young: Pharmacological profile of a new potent and specific α_2-adrenoceptor antagonist, L-657,743 **169**

O. A. Nedergaard: Effect of isoprenaline on noradrenaline release from sympathetic neurones in rabbit isolated pulmonary artery **176**

C.-R. Martling, E. Theodorsson-Norheim, I. Norheim, J. M. Lundberg: Bronchoconstrictor and hypotensive effects in relation to pharmacokinetics of tachykinins in the guinea-pig – evidence for extra-neuronal cleavage of neuropeptide K to neurokinin A **183**

J.-P. Pin, J. Bockaert: Multiple voltage-sensitive calcium channels are probably involved in endogenous GABA release from striatal neurones differentiated in primary culture **190**

C. A. Maggi, P. Santicioli, S. Giuliani, M. Furio, B. Conte, P. Meli, L. Gragnani, A. Meli: The effects of baclofen on spinal and supraspinal micturition reflexes in rats **197**

M. J. Lohse, K.-N. Klotz, J. Lindenborn-Fotinos, M. Reddington, U. Schwabe, R. A. Olsson: 8-Cyclopentyl-1,3-dipropylxanthine (DPCPX) – a selective high affinity antagonist radioligand for A_1 adenosine receptors **204**

M. J. Lohse, S. Böser, K.-N. Klotz, U. Schwabe: Affinities of barbiturates for the GABA-receptor complex and A_1 adenosine receptors: a possible explanation of their excitatory effects **211**

J. Sanchez-Chapula, A. Elizalde: Characterization of the effects of histamine on the transmembrane electrical activity of guinea-pig and rabbit SA- and AV-node cells **218**

T. Matsubara, C. Clarkson, L. Hondeghem: Lidocaine blocks open and inactivated cardiac sodium channels **224**

I. Tesseraux, M. Gülden, O. Wassermann: Cultured myotubes from skeletal muscle of adult rats. Characterization and action of Anemonia sulcata toxin II **232**

Short communication

B. J. Morris, A. Herz: Distinct distribution of opioid receptor types in rat lumbar spinal cord **240**

No. 3 issued on September 24, 1987

G. J. Molderings, K. Fink, E. Schlicker, M. Göthert: Inhibition of noradrenaline release via presynaptic 5-HT_{1B} receptors of the rat vena cava **245**

E. Schlicker, K. Fink, K. Classen, M. Göthert: Facilitation of serotonin (5-HT) release in the rat brain cortex by cAMP and probable inhibition of adenylate cyclase in 5-HT nerve terminals by presynaptic α_2-adrenoceptors **251**

D. D. Brănişteanu, D. D. D. Brănişteanu, I. D. Haulică: Trifluoperazine-sensitive activation of the spontaneous transmitter release at the frog motor endplates by low doses of procaine **257**

K. Nowak, K. Kuschinsky: Conditioning of behavioural effects produced by an intermediate dose of apomorphine: hypokinesia, ptosis and stereotypies **262**

D. Ramme, J. T. Regenold, K. Starke, R. Busse, P. Illes: Identification of the neuroeffector transmitter in jejunal branches of the rabbit mesenteric artery **267**

F. Engels, G. Folkerts, D. van Heuven-Nolsen, F. P. Nijkamp: *Haemophilus influenzae*-induced decreases in lung β-adrenoceptor function and number coincide with decreases in spleen noradrenaline **274**

I. Musgrave, P. Marley, H. Majewski: Pertussis toxin does not attenuate α_2-adrenoceptor mediated inhibition of noradrenaline release in mouse atria **280**

V. Schini, E. Malta, R. C. Miller: Effect of endothelium and carbachol on α-adrenoceptor agonist stimulated uptake and efflux of ^{45}Ca in rat isolated aorta **287**

K. Honda, C. Nakagawa, M. Terai: Further studies on (±)-YM-12617, a potent and selective α_1-adrenoceptor antagonist and its individual optical enantiomers **295**

H. Francès: Analysis of the nature of antagonism of the reserpine-induced hypothermia by imipramine **303**

M. Kavaliers, K.-P. Ossenkopp: Calcium channel involvement in magnetic field inhibition of morphine-induced analgesia **308**

L. Barthó, R. Amann, A. Saria, J. Szolcsányi, F. Lembeck: Peripheral effects of opioid drugs on capsaicin-sensitive neurones of the guinea-pig bronchus and rabbit ear **316**

W. Knepel, C. Schöfl: Intracellular free calcium concentration in rat anterior pituitary cells as indicated by fura-2: effect of arginine-vasopressin **321**

A. Pittaluga, M. Raiteri: Choline increases endogenous GABA release in rat hippocampus by a mechanism sensitive to hemicholinium-3 **327**

A. S. Milton, V. K. Sawhney: The effects of the protein synthesis inhibitor anisomycin on the febrile responses to intracerebroventricular injections of bacterial pyrogen, arachidonic acid and prostaglandin E_2 **332**

D. Martens, M. J. Lohse, B. Rauch, U. Schwabe: Pharmacological characterization of A_1 adenosine receptors in isolated rat ventricular myocytes **342**

F. Pagani, M. Zecca, A. Giachetti: Kinetic analysis of the interaction of mifentidine with gastric H_2-receptors in the conscious dog **349**

P. D. Verdouw, L. M. A. Sassen, D. J. Duncker, I. O. L. Schmeets, R. J. Rensen, P. R. Saxena: Nicorandil-induced changes in the distribution of cardiac output and coronary blood flow in pigs **352**

N. Toda, K. Bian, S. Inoue: Age-related changes in the response to vasoconstrictor and dilator agents in isolated beagle coronary arteries **359**

No. 4 issued on October 27, 1987

G. R. Martin, P. Leff, D. Cambridge, V. J. Barrett: Comparative analysis of two types of 5-hydroxytryptamine receptor mediating vasorelaxation: differential classification using tryptamines **365**

M.-A. Taranger, A.-M. Galzin, S. Z. Langer: Methiothepin enhances the potassium-evoked release of [^{3}H]-noradrenaline in rat pineal gland **374**

J. Häggblad, H. Eriksson, B. Hedlund, E. Heilbronn: Forskolin blocks carbachol-mediated ion-permeability of chick myotube nicotinic receptors and inhibits binding of ^{3}H-phencyclidine to *Torpedo* microsac nicotinic receptors **381**

S. Koyama, R. Oishi, K. Saeki: Effects of pentagastrin and carbachol on the gastric histamine level in α-fluoromethylhistidine-treated mice and rats **387**

S. M. Celuch, A. V. Juorio: Effects of deuterium substitution on the chronotropic responses to some sympathomimetic amines in the isolated rat atria **391**

M. E. Landa, M. C. Rubio, G. Jaim-Etcheverry: The aziridinium derivative of DSP4 (N-(2-chloroethyl)-N-ethyl-2-bromobenzylamine) accelerates the beating rate of isolated rat atria by enhancing the spontaneous release of noradrenaline **396**

G. J. Molderings, H.-J. Schümann: Influence of cyclooxygenase inhibitors and of lithium on the positive inotropic effect mediated by α_1-adrenoceptors in guinea-pig left atrium **403**

C. Korstanje, P. A. van Zwieten: Inhibition of vasoconstriction to cirazoline by calcium-entry blockade after phenoxybenzamine in rat perfused hindquarters **409**

R. R. Ruffolo, Jr., A. C. Sulpizio, A. J. Nichols, R. M. DeMarinis, J. P. Hieble: Pharmacologic differentiation between pre- and postjunctional α_2-adrenoceptors by SK & F 104078 **415**

S. M. Johnson, M. Costa, C. M. S. Humphreys, R. Shearman: Inhibitory effects of opioids in a circular muscle-myenteric plexus preparation of guinea-pig ileum **419**

A. Siniscalchi, P. Cristofori, E. Veratti: Influence of N-allyl-normetazocine on acetylcholine release from brain slices: involvement of muscarinic receptors **425**

E. T. Whalley, I. A. Nwator, J. M. Stewart, R. J. Vavrek: Analysis of the receptors mediating vascular actions of bradykinin **430**

H.-R. Olpe, M. W. Steinmann, M. F. Pozza, H. L. Haas: Comparative investigations on the actions of $ACTH_{1-24}$, somatostatin, neurotensin, substance P and vasopressin on locus coeruleus neuronal activity in vitro **434**

T. Shoji, H. Ishihara, T. Ishikawa, A. Saito, K. Goto: Vasodilating effects of human and rat calcitonin gene-related peptides in isolated porcine coronary arteries **438**

R. M. Gaion, L. Gambarotto: Target sites for the inhibition of prostacyclin effect in guinea-pig ileum **445**

M. Schulz, A. Schmoldt: Interactions of the histamine H_2-receptor antagonist etintidine with rat liver cytochrome P-450: a comparison with cimetidine **453**

G. L. Stahl, D. J. Lefer, A. M. Lefer: PAF-acether induced cardiac dysfunction in the isolated perfused guinea pig heart **459**

Short communications

A.-M. Galzin, S. Z. Langer: Circadian rhythm of the B_{max} of [^{3}H]-imipramine binding in rabbit platelets **464**

D. J. Dooley, A. Lupp, G. Hertting: Inhibition of central neurotransmitter release by ω-conotoxin GVIA, a peptide modulator of the N-type voltage-sensitive calcium channel **467**

No. 5 issued on November 26, 1987

J. Puurunen, M. J. Lohse, U. Schwabe: Interactions between intracellular cyclic AMP and agonist-induced inositol phospholipid breakdown in isolated gastric mucosal cells of the rat **471**

T. Mennini, E. Mocaer, S. Garattini: Tianeptine, a selective enhancer of serotonin uptake in rat brain **478**

H. Schwörer, K. Racké, H. Kilbinger: Temperature-dependent effects of increased intraluminal pressure on serotonin release from the vascularly perfused guinea pig ileum **483**

P. M. Beart, C. J. Cook, M. Cincotta, D. J. de Vries, P. Tepper, D. Dijkstra, A. S. Horn: Radioreceptor binding reveals the potencies of N,N-disubstituted 2-aminotetralins as D_2 dopamine agonists **487**

T. B. A. Mulder, J. B. de Vries, D. Dijkstra, J. W. Wiechers, C. J. Grol, A. S. Horn: Further in vitro and in vivo studies with the putative presynaptic dopamine agonist N,N-dipropyl-7-hydroxy-2-aminotetralin **494**

B. H. C. Westerink, J. Tuntler, G. Damsma, H. Rollema, J. B. de Vries: The use of tetrodotoxin for the characterization of drug-enhanced dopamine release in conscious rats studied by brain dialysis **502**

L. Carlsson, K.-H. Graefe, U. Trendelenburg: Early intraneuronal mobilization and deamination of noradrenaline during global ischemia in the isolated perfused rat heart **508**

C. Nanoff, M. Freissmuth, W. Schütz: The role of a low β_1-adrenoceptor selectivity of [^{3}H]CGP-12177 for resolving subtype-selectivity of competitive ligands **519**

F. Zambotti, N. Zonta, R. Tammiso, F. Conci, B. Hafner, P. Ferrario, L. Zecca, P. Mantegazza: Zopiclone potentiates the antinociceptive effect of morphine in rats **526**

I. Ulibarri, J. A. García-Sevilla, L. Ugedo: Modulation of brain α_2-adrenoceptor and μ-opioid receptor densities during morphine dependence and spontaneous withdrawal in rats **530**

C. A. Maggi, F. Borsini, P. Santicioli, P. Geppetti, L. Abelli, S. Evangelista, S. Manzini, E. Theodorsson-Norheim, V. Somma, F. Amenta, C. Bacciarelli, A. Meli: Cutaneous lesions in capsaicin-pretreated rats. A trophic role of capsaicin-sensitive afferents? **538**

C. A. Maggi, S. Giuliani, P. Santicioli, L. Abelli, P. Geppetti, V. Somma, D. Renzi, A. Meli: Species-related variations in the effects of capsaicin on urinary bladder functions: relation to bladder content of substance P-like immunoreactivity **546**

I. von Kügelgen, D. Häussinger, K. Starke: Evidence for a vasoconstriction-mediating receptor for UTP, distinct from the P_2 purinoceptor, in rabbit ear artery **556**

M. Yamamoto, M. Shimizu: Effects of a new TRH analogue, YM-14673 on the central nervous system **561**

R. Busse, A. Lückhoff, E. Bassenge: Endothelium-derived relaxant factor inhibits platelet activation **566**

K. Fukui, T. Tamaki, A. Yamamoto, T. Shoji, Y. Fujisawa, H. Iwao, Y. Abe: Salidiuretic action of the calcium antagonist nitrendipine in dogs **572**

P. Wollenberg, W. Rummel: Dependence of intestinal iron absorption on the valency state of iron **578**

Short communications

H.-G. Knaus, J. Striessnig, A. Koza, H. Glossmann: Neurotoxic aminoglycoside antibiotics are potent inhibitors of [^{125}I]-Omega-Conotoxin GVIA binding to guinea-pig cerebral cortex membranes **583**

D. M. White, P. Ehrhard, M. Hardung, D. K. Meyer, M. Zimmermann, U. Otten: Substance P modulates the release of locally synthesized nerve growth factor from rat saphenous nerve neuroma **587**

No. 6 issued on December 22, 1987

A.-L. Ask, S. B. Ross: Inhibition of 5-hydroxytryptamine accumulation and deamination by substituted phenylalkylamines in hypothalamic synaptosomes from normal and reserpine-pretreated rats **591**

G. Groß, G. Hanft, N. Kolassa: Urapidil and some analogues with hypotensive properties show high affinities for 5-hydroxytryptamine (5-HT) binding sites of the 5-HT_{1A} subtype and for α_1-adrenoceptor binding sites **597**

A. Langeloh, H. Bönisch, U. Trendelenburg: The mechanism of the ^{3}H-noradrenaline releasing effect of various substrates of uptake$_1$: multifactorial induction of outward transport **602**

A. Langeloh, U. Trendelenburg: The mechanism of the ^{3}H-noradrenaline releasing effect of various substrates of uptake$_1$: role of monoamine oxidase and of vesicularly stored ^{3}H-noradrenaline **611**

H. Bönisch, U. Trendelenburg: Veratridine-induced outward transport of ^{3}H-noradrenaline from adrenergic nerves of the rat vas deferens **621**

E. Schömig, U. Trendelenburg: Simulation of outward transport of neuronal ^{3}H-noradrenaline with the help of a two-compartment model **631**

Y. Arabori, H. Kitagawa, H. Kohei: Enhancement of contractile responses to partial α-adrenoceptor agonists during warming in rat aorta **641**

R. G. Chess-Williams, P. F. Grassby, K. J. Broadley, D. J. Sheridan: Cardiac alpha- and beta-adrenoceptor sensitivity and binding characteristics after chronic reserpine pretreatment **646**

E. T. Whalley, S. Clegg, J. M. Stewart, R. J. Vavrek: The effect of kinin agonists and antagonists on the pain response of the human blister base **652**

H. Kuwahara, T. Sakurada, S. Sakurada, A. Yonezawa, R. Ando, K. Kisara, F. Osakada, E. Munekata: Behavioural effects of intrathecally injected tachykinins in rats with peripheral nerve transection **656**

M. Floreani, M. Tessari, P. Debetto, S. Luciani, F. Carpenedo: Effects of N-chlorobenzyl analogues of amiloride on myocardial contractility, Na-Ca-exchange carrier and other cardiac enzymatic activities **661**

G. Julou-Schaeffer, J. L. Freslon: Compared effects of calcium entry blockers on calcium-induced tension in rat isolated cerebral and peripheral resistance vessels **670**

Acknowledgement to referees 677

Indexed in *Current Contents*